
*



according to 2001/58 EC

3048612 Reviewed on: 17.11.2018 Printing date: 17.11.2018





according to 2001/58 EC

3048612 Reviewed on: 17.11.2018 Printing date: 17.11.2018

| | | (continued of page 1) |
|----------------------------------|---|-----------------------|
| <u>3</u> Compositio | n/information on ingredients | |
| •• | acterization: Mixtures | |
| Description: | | |
| Mixture of substa | ances listed below with nonhazardous additions. | |
| Dangerous com | ponents: | |
| CAS Number | | % |
| 64742-82-1 | hydrocarbons, C10-C13, n-alkanes, | 40,00- 60,00 |
| | isoalkanes, cyclenes, <2% aromatics | |
| | EC number: 918-481-9 | |
| | Record number 01-2119457273-39 | |
| | 🚸 Asp. Tox. 1 - H304 | |
| 1189173-42-9 | Hydrocarbons, C10, aromatics, <1% | 15,00- 25,00 |
| | naphthalene | |
| | EC number: 918-811-1 | |
| | Record number 01-2119463583-34 | |
| | 🚸 Asp. Tox. 1 - H304; 🚸 STOT SE 3 - | |
| | H336; 🚸 Aquatic Chronic 2 - H411 | |

04 First aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
 After swallowing:
 - Do not induce vomiting; call for medical help immediately.

05 Firefighting measures

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Protective equipment:
 Mouth respiratory protective device.
 Do not inhale explosion gases or combustion gases.
 Additional information
- Additional information
 Cool endangered receptacles with water spray.
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

06 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Reference to other sections
 See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



according to 2001/58 EC

3048612

Reviewed on: 17.11.2018 Printing date: 17.11.2018

PRODUCT : PREMIUM TEAK OIL 6151-00

(continued of page 2)

• Handling:

- Precautions for safe handling
- Take note of emission threshold.
- Information about fire and explosion protection:
- No special measures required.

07 Handling and storage

- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

08 Exposure controls/personal protection

- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 Additional information:
- The lists valid during the making were used as basis. • *Personal protective equipment:*
- General protective equipment.
 General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Be sure to clean skin thoroughly after work and before breaks.
- Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Impervious gloves
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- Eye protection: Safety glasses
- Body protection: Protective work clothing

09 Physical and chemical properties

| Liquid | |
|--------------------------------|---|
| Liquid | |
| | |
| According to product specifica | |
| Characteristic Characteristic | |
| Not determined. | |
| | |
| Undetermined. | |
| > 60 °C c.c. | |
| Not applicable. | |
| Undetermined. | |
| Not determined. | |
| - | Characteristic Characteristic Not determined. Undetermined. > 60 °C c.c. Not applicable. Undetermined. |

MATERIAL SAFETY DATA SHEET



according to 2001/58 EC

3048612 Reviewed on: 17.11.2018 Printing date: 17.11.2018

PRODUCT : PREMIUM TEAK OIL 6151-00

| | (continued of page 3 |
|----------------------------------|--|
| Self-igniting: | Not determined. |
| Danger of explosion: | Not determined. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure: | Not determined. |
| Density: | 0,8500 g/cm3 |
| Solubility in / Miscibility with | |
| water: | Not determined. |
| Viscosity: | |
| | Not determined. |
| | at 40 °C 20 mm2/s |
| Other information | No further relevant information available. |

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

- No decomposition if used according to specifications. • *Incompatible materials:*
- No further relevant information available.
- Hazardous decomposition products:
- No dangerous decomposition products known.

11 Toxicological information

• Acute toxicity:

• LD/LC50 values relevant for classification:

55406-53-6 3-lodo-2-propynylbutylcarbamate

Oral, LD50: 1470 mg/kg (rat)

- Dermal, LD50: >2000 mg/kg (rat)
- Inhalative, LC50/4h: >6,89 mg/l (rat)
- Primary irritant effect:
- on the skin:
- No irritant effect.
- on the eye:
- No irritating effect.
- Sensitization:
- No sensitising effects known.

12 Ecological information

- Aquatic toxicity:
- No further relevant information available.
- Persistence and degradability
- No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Ecotoxical effects:
- Remark:
- Harmful to fish
- Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

according to 2001/58 EC



(continued of page 4)

3048612

Reviewed on: 17.11.2018 Printing date: 17.11.2018

PRODUCT : PREMIUM TEAK OIL 6151-00

13 **Disposal considerations**

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

| • UN-Number | |
|--|------|
| ADR | Void |
| IMDG | Void |
| ΙΑΤΑ | Void |
| • UN proper shipping name | |
| ADR | Void |
| IMDG | Void |
| ΙΑΤΑ | Void |
| Transport hazard class(es) ADR | |
| Class | Void |
| IMDG | |
| Class | Void |
| ΙΑΤΑ | |
| Class | Void |
| Packing group | |
| ADR | Void |
| IMDG | Void |
| ΙΑΤΑ | Void |
| Environmental hazards: | |

Not applicable.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Not applicable.

15 Regulatory information

• National regulations:

• Classification according to VbF:

Waterhazard class:

Water hazard class 2 (Self-assessment): hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

• Department issuing MSDS:

Environment protection department.

(continued on page 6)

MATERIAL SAFETY DATA SHEET

according to 2001/58 EC



3048612 Reviewed on: 17.11.2018 Printing date: 17.11.2018

PRODUCT : PREMIUM TEAK OIL 6151-00

(continued of page 5) · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent * Data compared to the previous version altered. •